



Paper No. 7

MAIL

TOWNSEND AND TOWNSEND AND CREW, LLP
Two Embarcadero Center
Eighth Floor
San Francisco, CA 94111-3834

JUN 02 2003

DIRECTOR OFFICE
TECHNOLOGY CENTER 2100


In re Application of: Roger K. Brooks, et al.)	
Application No. 09/539,193)	
Filed: March 30, 2000)	
For: PERSONAL BROADCASTING)	DECISION ON REQUEST FOR
SYSTEM FOR AUDIO AND VIDEO)	WITHDRAWAL AS ATTORNEY
DATA USING A WIDE AREA)	
NETWORK)	

This is a decision on the Request To Withdraw from Representation filed May 27, 2003.

A grantable request to withdraw as attorney of record should indicate thereon the present mailing addresses of the attorney(s) who is/are withdrawing from the record and of the applicant. The request for withdrawal must be signed by every attorney seeking to withdraw or contain a clear indication that one attorney is signing on behalf of another/others. A request to withdraw will not be approved unless at least 30 (thirty) days would remain between the date of approval and the later of the expiration date of a time to file a response or the expiration date of the maximum time period which can be extended under 37 C.F.R. § 1.136(a). The effective date of withdrawal being the date of decision and not the date of request. See M.P.E.P. § 402.06. 37 C.F.R. § 1.36 further requires that the applicant or patent owner be notified of the withdrawal of the attorney or agent.

The request is **GRANTED**.

All future communications from the Office will be directed to the below-listed address until otherwise notified by applicant. This correspondence address is provided by the withdrawn attorney(s). Applicant is reminded of the obligation to promptly notify the Patent and Trademark Office (Office) of any change in correspondence address to ensure receipt of all communications from the Office.



Vincent N. Trans
Special Programs Examiner
Technology Center 2100
Computer Architecture and Software
(703) 305-9750

cc: Connie Wong, CEO
Vidiator Technology (US) Inc.
411 108th Ave NE - Suite 688
Bellevue, WA 98004